

Final 1880/24

1943-44

880(18) part

Date	Full description, etc., of work	Dimensions Length Breadth Depth	Contents
1	2	Number 3	7
Name of Agency	Work:- Drilling of bore well and pipe line for supply of water to Abbiyere colony in SSD.	Providing Pumping machinery and	
WD :-	No EE [pp] No / 0113-14	KRIDL	
JC :-	012-13-000036.	Dt - 12/12/12	Etc cost Rs. 6.0 lakhs.
I-I	Geophysical investigation of site for sinking Borewell for supplying drinking water to the habitation through the hand pump MWS OPSS by vertical electrical sounding by adopting Vanover or Schlumberger's method including recommendations of geoelectrical formation of existing ground water indicating the location		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

83227

	Full description, etc. of work of commitment of work	Dimensions			Contents	Reference to last Measurement 8
		Number	Length	Breadth		
2	Full description, etc. of work of commitment of work	3	4	5	6	7
	at Site recommended depth of drilling required to reach full depth of aquifer proposed to be tapped probable yield. only vide pg no 832B/H of this M.B.					1.0 NO. @ 1600 = only 1600 = 00
	sinking of borewell of 165 mm dia clear lying super fast hydraulic rig of capacity 250PSI & above 900 cfm & above in all strata. including over burden upto sky fixing of casing pipes cellular caps with necessary cutting, threading and nailing including transportation of					

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	and cost of consumables etc. complete including field testing at the final depth	3	4	5	6	7	8
	upto 50.0m depth by vide pg no 83224 of this M.B.						
a)	Above 50.0m to 100.0m depth by vide pg no 83224 of this M.B.						
b)	Above 100.0m to 150.0m depth by vide pg no 83224 of this M.B.						
c)	Above 150.0m to 200.0m depth by vide pg no 83224 of this M.B.						
d)	Above 200.0m to 250.0m depth by vide pg no 83224 of this M.B.						
e)	Above 250.0m to 300.0m depth by vide pg no 83224 of this M.B.						
f)	Above 300.0m to 350.0m depth by vide pg no 83224 of this M.B.						

CE(D) 2918

M. A. R. 57 (Rule 116)
Measurement Book

No. B

832228

Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
Supplying of 1st Mark 115mm nominal bore plain end steel lagging pipe-grade of steel F410 of wall thickness 5.4mm thick conforming to IS 4320:2001 and adopt amendments electric resistance welded steel tube material and conforming to IS 1387/1993 and manufactured by basic open hearth electric arc process						
Steel pipe all pipes shall be ready made straight and shall be with 1st mark welding.						
by vide pg no 83224 of this M.B.						

43.0m 56945.00

M. A. R. 57 (Rule 116)
No. B

[illegible]